

PRICE LIST

Initial consultation and examination	PRICE
<u>Initial online consultation</u>	
anamnesis and evaluation of provided results, explanation of sterility treatment options in the length	FREE
of 30 min	
Initial personal consultation (entrance examination price will be deducted from the	
therapy cost)	150 €
consultation with a doctor, anamnesis, basic gynaecological examination including ultrasound scan,	
plan of necessary examinations and explanation of sterility treatment options	
does not include: cervix examination (oncocytology), blood samples, sperm analysis	
Ultrasound scan examination (if not included within therapy package)	80 €
gynaecological ultrasound scan examination, further treatment plan, report	
Sperm analysis (if not included within therapy package)	80 €
basic examination according to WHO recommendations	
Personal consultation with a doctor upon request	50 €
consultation without gynaecological or laboratory examination in the length of 15 min	
Online consultation with a doctor (telephone / Skype / MS Teams) upon request	40 €
consultation and treatment recommendations based on additional results in the length of 15 mins	











THERAPY USING OWN GENETIC CELLS

NeoLife coordinator availability throughout the therapy during working hours preparation and consultation of the stimulation plan all ultrasound scan examinations during stimulation STD of a couple according to the valid legislation Sperm analysis (SPG) and its preparation oocyte(s) retrieval under general anaesthesia fertilization of all mature oocytes by ICSI method prolonged cultivation ECHO catheter during transfer embryo transfer* assisted hatching by laser does not include: stimulant medication and embryo(s) cryopreservation in case of cycle resulting without embryo transfer	E
 coordinator availability throughout the therapy during working hours preparation and consultation of the stimulation plan all ultrasound scan examinations during stimulation STD of a couple according to the valid legislation Sperm analysis (SPG) and its preparation oocyte(s) retrieval under general anaesthesia fertilization of all mature oocytes by ICSI method prolonged cultivation ECHO catheter during transfer embryo transfer* assisted hatching by laser does not include: stimulant medication and embryo(s) cryopreservation in case of cycle resulting without embryo transfer 	
	€
includes all procedures above to the embryo transfer, but there is no suitable embryo to transfer *(does not apply to aneuploidies in PGT embryos) 2200	€
in case of cycle termination after oocyte(s) retrieval includes all procedures above to the oocyte(s) collection incl., but there is no mature egg to fertilize in case of cycle termination before the oocyte(s) retrieval	€

^{*}Embryo transfer guarantee does not apply in case of aneuploid embryos after PGT

NeoLife+ includes all listed from the NeoLife package above and furthermore: use of the sperm pre-selection method for fertilization according to the embryologist a dividing spindle visualization with a polarizing microscope during fertilization of all mature ocytes by the ICSI method prolonged cultivation in the Embryoscope+ time-lapse system embryo transfer* does not include: stimulant medication and embryo(s) cryopreservation	3490 €
in case of cycle resulting without embryo transfer includes all procedures above to the embryo transfer, but there is no suitable embryo to transfer *(does not apply to aneuploidies in PGT embryos)	2800 €
in case of cycle termination after oocyte(s) retrieval includes all procedures above to the oocyte(s) collection incl., but there is no mature egg to fertilize	1400 €
in case of cycle termination before the oocyte(s) retrieval no response to stimulant medication	450 €

^{*}Embryo transfer guarantee does not apply in case of aneuploid embryos after PGT



no response to stimulant medication













450€



Dual-stim therapy	PRICE
Dual-stim therapy	
 coordinator availability throughout the therapy during working hours 	
 preparation and consultation of stimulation plan 	
 all ultrasound examinations during stimulations 	
 STD of a couple according to the valid legislation 	
 Sperm analysis (SPG) and its preparation 	4500 €
 both oocyte retrievals under general anaesthesia 	4300 C
 a dividing spindle visualization with a polarizing microscope during fertilization of all 	
mature oocytes by ICSI method	
prolonged cultivation	
 ECHO catheter during transfer 	
 one embryo transfer* 	
 assisted hatching by laser 	
does not include: stimulant medication and embryo(s) cryopreservation	
in case of cycle resulting without embryo transfer	4050 €
includes all procedures above to the embryo transfer, but there is no suitable embryo to transfer	
*(does not apply to aneuploidies in PGT embryos)	
in case of cycle termination after the second oocyte(s) retrieval	3600 €
includes all operations from above to the second oocyte(s) collection incl. but there is no mature egg	
for fertilization	
*embryo transfer guarantee does not apply in case of aneuploid embryos after PGT	
in case of cycle termination before the second oocyte(s) retrieval	2900 €
no reaction to stimulant medication	
in case of cycle termination after the first oocyte(s) retrieval	
includes all procedures above to the oocyte(s) collection incl., but there is no mature egg to fertilize	1200 €
in case of cycle termination before the first oocyte(s) retrieval	
no reaction to stimulant medication	400 €

^{*}Embryo transfer guarantee does not apply in case of aneuploid embryos after PGT









Tady začíná život

· · · ·	
 Social freezing coordinator availability throughout the therapy during working hours preparation and consultation of the stimulation plan necessary hormonal tests, including AMH STD according to the valid legislation all ultrasound scan examinations during stimulation oocyte(s) retrieval under general anaesthesia cryopreservation of all mature oocytes (2-3 oocytes in 1 straw) 1 year storage does not include: stimulant medication 	1690 €
in case there are no oocytes for cryopreservation	1350 €
in case of cycle termination before the oocyte(s) retrieval	450 €
Social freezing during Dual-Stimulation new stimulation after first oocyte(s) retrieval in following 4-5 days includes all listed from the Social freezing package above does not include: medication during preparation and embryo cryopreservation	2800 €
in case there are no oocytes for cryopreservation after the second oocyte(s) retrieval	2460 €
in case of cycle termination before the second oocyte(s) retrieval (i.e. includes all procedures above to the first oocyte(s) collection incl., but there is no reaction to stimulant medication	1550 €
Completion of the cycle after social freezing	1490 €
*(does not apply to aneuploidies in PGT embryos)	1050 €
in case of cycle termination without oocytes for fertilization includes all procedures above but there is no egg to be fertilized	850 €

^{*}Embryo transfer guarantee does not apply in case of aneuploid embryos after PGT



Oocytes cryopreservation (social freezing)













400€

Tady začíná život

Sperm cryopreservation	PRICE
Sperm cryopreservation	
(if not included within therapy package)	230 €
sperm freezing (1-3 straws) including 1-year storage and STD according to the valid legislation	

Embryo cryopreservation	
cryopreservation of suitable embryos by vitrification, always 1 embryo in 1 straw, including 1-year stora	ige
1 straw	250 €

Cryo-embryo transfer	PRICE
Cryo-embryo transfer	
 coordinator availability throughout the therapy during working hours 	
therapy plan preparation	
 all ultrasound scan examinations during therapy preparation 	
embryo thawing process	950 €
assisted hatching by laser	330 €
 ECHO catheter during transfer 	
embryo transfer	

in the case of procedure performance on weekends or holidays, at the patient's request, a surcharge of 800€ applies in addition to the therapy cost

Embryo cryopreservation


2 and more straws (flat-rate payment)

does not include: medication during preparation

it is possible to use EmbryoGlue medium for an additional cost of 200€









THERAPY USING DONATED GENETIC CELLS

Gratef	ul Life Basic	
•	coordinator availability throughout the therapy during working hours	
	preparation and consultation of a treatment plan	
•	STD of male partner according to the valid legislation	
-	Sperm analysis (SPG) and its preparation	
	male partner sperm cryopreservation for donated oocytes fertilisation	
-	necessary hormonal tests of the female recipient	
-	blood group examination of both partners	
-	ultrasound scan examinations of the female recipient during embryo transfer preparation	
•	donor compensation (donor selection according to recipients phenotype and blood	4980 €
	groups upon request)	
-	fertilization of all mature oocytes by ICSI method	
-	prolonged cultivation	
-	cryopreservation of suitable embryos in the blastocyst stage including 1 year storage	
-	ECHO catheter during embryo transfer	
-	embryo transfer	
-	guarantee of 1 good quality blastocyst**	
does no	t include: medication during female recipient preparation for embryo transfer	
Gratef •	coordinator availability throughout the therapy during working hours	
-	preparation and consultation of a treatment plan	
-	STD of male partner according to the valid legislation	
•	Sperm analysis (SPG) and its preparation	
•	male partner sperm cryopreservation for donated oocytes fertilisation	
-	necessary hormonal tests of female recipient	
•	blood group examination of both partners	
•	ultrasound scan examinations of the female recipient during embryo transfer preparation	
-	donor compensation (donor selection according to recipients phenotype and blood	5980 €
	groups upon request)	
•	fertilization of all mature oocytes by ICSI method	
•	prolonged cultivation	
-	cryopreservation of suitable embryos in the blastocyst stage including 1 year storage	
•	ECHO catheter during embryo transfer	
•	embryo transfer	
•	assisted hatching by laser	
	guarantee of 2 good quality blastocysts**	
	3rd cycle free of charge***	



IVF packages using donated genetic cells

















Grateful Life+ includes all listed from the Grateful Life package above and furthermore: prolonged cultivation in the Embryoscope+ time-lapse system guarantee of 3 good quality blastocysts** (instead guarantee of two blastocysts according to the Grateful Life package) does not include: medication during female recipient preparation for embryo transfer	7980 €
does not include: medication during female recipient preparation for embryo transfer	
***3rd cycle free of charge When completing two Grateful Life or Grateful Life+ therapies, we offer our patients a Grateful Life Basic package free of charge, if the following conditions are met: - the patient does not violate the treatment plan during therapy (medication use, documentation evidence of required results), - sperm analysis within the norm (the highest minor pathology), - there is no recurrent low endometrium during embryo transfer preparation even at elevated doses of oestrogens, - a pathology was not known before the treatment, which was pointed out by the centre's doctor and the patient rejected the proposed procedure (for cases of sactosalping, SM fibroids, etc.), Uterine pregnancy has never been achieved with a fetal heartbeat confirmation.	0€

^{**} blastocyst(s) guarantee does not apply in the case of grossly pathological sperm analysis and aneuploid embryos after PGT









	IVF package using donated embryos	PRICE
--	-----------------------------------	-------

Therapy with one donated embryo coordinator availability throughout the therapy during working hours preparation and consultation of a treatment plan necessary hormonal tests of the female recipient ultrasound scan examinations of the female recipient during embryo transfer preparation of one donated embryo from a cryo-bank (embryo from donated oocytes and donated sperm in the blastocyst stage, both donors examined according to currently valid legislation of gamete donors) ECHO catheter during embryo transfer embryo transfer embryo transfer assisted hatching by laser does not include: medication during female recipient preparation for embryo transfer Therapy with two donated embryos represents the transfer of one embryo followed by a 2nd transfer in case of a failed pregnancy coordinator availability throughout the therapy during working hours preparation and consultation of a treatment plan necessary hormonal tests of the female recipient ultrasound scan examinations of the female recipient during embryo transfer preparation of one donated embryo from a cryo-bank (embryo from donated oocytes and donated sperm in the blastocyst stage, both donors examined according to currently valid
 preparation and consultation of a treatment plan necessary hormonal tests of the female recipient ultrasound scan examinations of the female recipient during embryo transfer preparation of one donated embryo from a cryo-bank (embryo from donated oocytes and donated sperm in the blastocyst stage, both donors examined according to currently valid legislation of gamete donors) ECHO catheter during embryo transfer embryo transfer assisted hatching by laser does not include: medication during female recipient preparation for embryo transfer Therapy with two donated embryos represents the transfer of one embryo followed by a 2nd transfer in case of a failed pregnancy coordinator availability throughout the therapy during working hours preparation and consultation of a treatment plan necessary hormonal tests of the female recipient ultrasound scan examinations of the female recipient during embryo transfer preparation of one donated embryo from a cryo-bank (embryo from donated oocytes and donated sperm in the blastocyst stage, both donors examined according to currently valid
 necessary hormonal tests of the female recipient ultrasound scan examinations of the female recipient during embryo transfer preparation of one donated embryo from a cryo-bank (embryo from donated oocytes and donated sperm in the blastocyst stage, both donors examined according to currently valid legislation of gamete donors) ECHO catheter during embryo transfer embryo transfer assisted hatching by laser does not include: medication during female recipient preparation for embryo transfer Therapy with two donated embryos represents the transfer of one embryo followed by a 2nd transfer in case of a failed pregnancy coordinator availability throughout the therapy during working hours preparation and consultation of a treatment plan necessary hormonal tests of the female recipient ultrasound scan examinations of the female recipient during embryo transfer preparation of one donated embryo from a cryo-bank (embryo from donated oocytes and donated sperm in the blastocyst stage, both donors examined according to currently valid
 ■ ultrasound scan examinations of the female recipient during embryo transfer preparation of one donated embryo from a cryo-bank (embryo from donated oocytes and donated sperm in the blastocyst stage, both donors examined according to currently valid legislation of gamete donors) ■ ECHO catheter during embryo transfer ■ embryo transfer ■ assisted hatching by laser does not include: medication during female recipient preparation for embryo transfer Therapy with two donated embryos represents the transfer of one embryo followed by a 2nd transfer in case of a failed pregnancy ■ coordinator availability throughout the therapy during working hours ■ preparation and consultation of a treatment plan ■ necessary hormonal tests of the female recipient ■ ultrasound scan examinations of the female recipient during embryo transfer preparation ■ of one donated embryo from a cryo-bank (embryo from donated oocytes and donated sperm in the blastocyst stage, both donors examined according to currently valid
 of one donated embryo from a cryo-bank (embryo from donated oocytes and donated sperm in the blastocyst stage, both donors examined according to currently valid legislation of gamete donors) ECHO catheter during embryo transfer embryo transfer assisted hatching by laser does not include: medication during female recipient preparation for embryo transfer Therapy with two donated embryos represents the transfer of one embryo followed by a 2nd transfer in case of a failed pregnancy coordinator availability throughout the therapy during working hours preparation and consultation of a treatment plan necessary hormonal tests of the female recipient ultrasound scan examinations of the female recipient during embryo transfer preparation of one donated embryo from a cryo-bank (embryo from donated oocytes and donated sperm in the blastocyst stage, both donors examined according to currently valid
 of one donated embryo from a cryo-bank (embryo from donated oocytes and donated sperm in the blastocyst stage, both donors examined according to currently valid legislation of gamete donors) ECHO catheter during embryo transfer embryo transfer assisted hatching by laser does not include: medication during female recipient preparation for embryo transfer Therapy with two donated embryos represents the transfer of one embryo followed by a 2nd transfer in case of a failed pregnancy coordinator availability throughout the therapy during working hours preparation and consultation of a treatment plan necessary hormonal tests of the female recipient ultrasound scan examinations of the female recipient during embryo transfer preparation of one donated embryo from a cryo-bank (embryo from donated oocytes and donated sperm in the blastocyst stage, both donors examined according to currently valid
legislation of gamete donors) ECHO catheter during embryo transfer embryo transfer assisted hatching by laser does not include: medication during female recipient preparation for embryo transfer Therapy with two donated embryos represents the transfer of one embryo followed by a 2nd transfer in case of a failed pregnancy coordinator availability throughout the therapy during working hours preparation and consultation of a treatment plan necessary hormonal tests of the female recipient ultrasound scan examinations of the female recipient during embryo transfer preparation of one donated embryo from a cryo-bank (embryo from donated oocytes and donated sperm in the blastocyst stage, both donors examined according to currently valid
 ECHO catheter during embryo transfer embryo transfer assisted hatching by laser does not include: medication during female recipient preparation for embryo transfer Therapy with two donated embryos represents the transfer of one embryo followed by a 2nd transfer in case of a failed pregnancy coordinator availability throughout the therapy during working hours preparation and consultation of a treatment plan necessary hormonal tests of the female recipient ultrasound scan examinations of the female recipient during embryo transfer preparation of one donated embryo from a cryo-bank (embryo from donated oocytes and donated sperm in the blastocyst stage, both donors examined according to currently valid
 embryo transfer assisted hatching by laser does not include: medication during female recipient preparation for embryo transfer Therapy with two donated embryos represents the transfer of one embryo followed by a 2nd transfer in case of a failed pregnancy coordinator availability throughout the therapy during working hours preparation and consultation of a treatment plan necessary hormonal tests of the female recipient ultrasound scan examinations of the female recipient during embryo transfer preparation of one donated embryo from a cryo-bank (embryo from donated oocytes and donated sperm in the blastocyst stage, both donors examined according to currently valid
 assisted hatching by laser does not include: medication during female recipient preparation for embryo transfer Therapy with two donated embryos represents the transfer of one embryo followed by a 2nd transfer in case of a failed pregnancy coordinator availability throughout the therapy during working hours preparation and consultation of a treatment plan necessary hormonal tests of the female recipient ultrasound scan examinations of the female recipient during embryo transfer preparation of one donated embryo from a cryo-bank (embryo from donated oocytes and donated sperm in the blastocyst stage, both donors examined according to currently valid
 does not include: medication during female recipient preparation for embryo transfer Therapy with two donated embryos represents the transfer of one embryo followed by a 2nd transfer in case of a failed pregnancy coordinator availability throughout the therapy during working hours preparation and consultation of a treatment plan necessary hormonal tests of the female recipient ultrasound scan examinations of the female recipient during embryo transfer preparation of one donated embryo from a cryo-bank (embryo from donated oocytes and donated sperm in the blastocyst stage, both donors examined according to currently valid
Therapy with two donated embryos represents the transfer of one embryo followed by a 2nd transfer in case of a failed pregnancy
represents the transfer of one embryo followed by a 2nd transfer in case of a failed pregnancy
represents the transfer of one embryo followed by a 2nd transfer in case of a failed pregnancy
 coordinator availability throughout the therapy during working hours preparation and consultation of a treatment plan necessary hormonal tests of the female recipient ultrasound scan examinations of the female recipient during embryo transfer preparation of one donated embryo from a cryo-bank (embryo from donated oocytes and donated sperm in the blastocyst stage, both donors examined according to currently valid
 preparation and consultation of a treatment plan necessary hormonal tests of the female recipient ultrasound scan examinations of the female recipient during embryo transfer preparation of one donated embryo from a cryo-bank (embryo from donated oocytes and donated sperm in the blastocyst stage, both donors examined according to currently valid
 necessary hormonal tests of the female recipient ultrasound scan examinations of the female recipient during embryo transfer preparation of one donated embryo from a cryo-bank (embryo from donated oocytes and donated sperm in the blastocyst stage, both donors examined according to currently valid
 ultrasound scan examinations of the female recipient during embryo transfer preparation of one donated embryo from a cryo-bank (embryo from donated oocytes and donated sperm in the blastocyst stage, both donors examined according to currently valid
 of one donated embryo from a cryo-bank (embryo from donated oocytes and donated sperm in the blastocyst stage, both donors examined according to currently valid
sperm in the blastocyst stage, both donors examined according to currently valid
lagislation of gamenta demana)
legislation of gamete donors)
■ ECHO catheter during 1st embryo transfer 1st embryo transfer including assisted batching by laser 2500 €
- 13t embryo transfer including assisted natching by laser
does not include: medication during preparation for transfers and 2nd embryo transfer (according
to the valid price list)
We offer the therapy with two donated embryos at a discounted price if the following conditions
are met:
- the patient does not violate the treatment plan during therapy (medication use,
documentation evidence of required results),
 there is no recurrent low endometrium during embryo transfer preparation even at elevated doses of oestrogens,
- a pathology was not known before the treatment, which was pointed out by the center's doctor and the patient rejected the proposed procedure (for cases of sactosalping, SM
fibroids, etc.),
- uterine pregnancy has never been achieved with a fetal heartbeat confirmation
- embryos from the same donors are not guaranteed

in the case of procedure performance on weekends or holidays, at the patient's request, a surcharge of 800€ applies in addition to the therapy cost













INDIVIDUAL METHODS AND ADDITIONAL SERVICES

Methods maximising therapy success (if not included in the therapy package price)	PRICE
ICSI method of all mature oocytes	440 €
Microfluid sperm sorting chips	350 €
MACS	350 €
Polarizing microscope – a dividing spindle observation system	350 €
Prolonged cultivation	150 €
Prolonged cultivation in the Embryoscope+ time-lapse system	450 €
Assisted hatching by laser	200 €
ECHO catheter	150 €
EmbryoGlue	200 €

<u>Donated sperm</u>	
thawing of 1 dose of donor sperm and its preparation for therapy (selection respecting the couple	450 €
phenotype)	
Annual storage of gametes	
extension of embryos / oocytes / sperm / testicular or epididymal tissue storage by 1 year	150 €
TESE/MESA/PESA	
testis/epididymis tissue collection under general anesthesia, sperm preparation, observation	1700 €
during post-operation rest	
in case of sperm retrieval, replenishment of the patient's STD according to the valid legislation,	
cryopreservation of the genetic material, its storage for 1 year	220 €
Diagnostic hysteroscopy	
procedure in the operating room without general anesthesia, operation without biopsy,	
observation during post-operation rest	500 €
does not include: general anaesthesia	
Surgical hysteroscopy	
procedure in the operating room without general anesthesia, biopsy according to the surgeon's	
indication, observation during post-operation rest	650 €
does not include: general anaesthesia	
histological examination of biopsied material	according to the
	speciliased laboratory
	price list
Cyst punction	
	250 €

Additional services and other examinations









vaginal cyst puncture without general anaesthesia in the operating room, observation during post	t
operation rest	
does not include: histological examination of the punctured material	
Endometrial scratch	
endometrial disruption performed with a sterile pipelle or probe prior to embryo transfer	160 €
Cervical dilatation	
procedure under general anesthesia, when the cervix is sterile dilated, observation during	160 €
post – operation rest	
does not include: general anaesthesia	
Preoperative examination	according to the
patients are sent to a cooperating workplace or the possibly may arrange the examination by their	r cooperating workplace
own general practitioner	price list
<u>Urological examination</u>	according to the
patients are sent to Urovize Clinic	cooperating workplace
· 	price list
General anaesthesia	
(if not included in the therapy package)	230 €
anaesthesia, the assistance of Department of Anaesthesiology and Resuscitation doctor,	
observation during post-operation rest	
Entonox (Nitrous oxide)	
Flat rate payment per one procedure	30 €
BeReady	
an advanced method of uterine lining examination to determine the individual implantation	520€
window	
Reprognostics	
an advanced method of uterine lining examination to rule out the immunological cause of	720€
infertility	
A comprehensive examination of endometrial receptivity (EndomeTRIO)	
Consultation and preparation plan for examination, endometrial biopsy without anaesthesia,	1300 €
examination of biopsied material to determine the appropriate time of progestogen and other	
examination of biopsied material to determine the appropriate time of progestogen and other parameters during embryo transfer, interpretation of the result	









Laboratory examination	PRICE
Necessary hormonal tests package (AMH, fT4, TSH, PRL, P4)	80€
AMH	30 €
TSH, fT4, aTPO, PRL, E2, P4, FSH, LH, hCG – per individual test	15 €
Blood group + Rh factor	20 €
vit. D	100 €
STD	100 €
anti-HIV 1, 2, p24, HBsAg, anti-HBC, TPHA, RRR	
Confirmation of STD results in case of positive STD examination and the need for confirmation in the National Reference Laboratory (according to valid legislation)	80–220 €
Preoperative blood examination blood count, liver and kidney functions, basic coagulation, ions	30€
STI PCR DNA test Neisseria gonorrhoeae, Mycoplasma, Ureaplasma, Chlamydie trachomatis, Trichomonas	90 €

Genetic consultation and examination	PRICE
Genetic consultation	220 €
initial consultation with a geneticist, anamnesis, examined parameters conclusion	
Interpretation of genetic results and report	70 €
<u>Karyotype</u>	280 €
blood test of a set of chromosomes	
<u>CFTR</u>	350 €
blood test of a set of cystic fibrosis gene mutations	
Thrombophilic mutations f. II and f.V	90 €
blood test for Leiden and Protrombin mutation genes	
Panda/ Carrier test	490 €/ per person
genetic compatibility test of partners – detection of monogenic diseases	
PGT-A	390 €/ per embryo
prolonged cultivation in the Embryoscope+ time-lapse system, 24 chromosomes examination	
from cells biopsied from developing blastocysts by the NGS method, excluding biopsy	
PGT-SR	490 €/ per embryo
prolonged cultivation in the Embryoscope+ time-lapse system, cells examination biopsied from	
developing blastocysts in known familial chromosome aberration- translocation, excluding	
biopsy	
PGT-M	4390 € /up to 5
prolonged cultivation in the Embryoscope+ time-lapse system, cells examination biopsied from	embryos
developing blastocysts in a known monogenic disease – karyomapping method, excluding	
biopsy	
each additional embryo to PGT-M	620 €
Biopsy (1-4 embryos)	550 €











Additional biopsy fee (5-8 embryos)	300 €
other specific genetic tests according to the geneticist indication	according to the cooperating workplace
	price list

Gynaecology	PRICE
Cervical oncocytology	
Standard	50 €
LBC (liquid based cytology)	50 €
HPV genotyping	90 €

Transport	PRICE
Transport to FertilityPort Prague	
administration fee for transport arrangements and genetic cells transport from another facility	130 €
in Prague, incl. annual storage	
transport outside Prague within the Czech Republic, and from countries outside the Czech	individual
Republic	
Transport from FertilityPort Prague	
administration fee for transport arrangements of embryos / sperm / oocytes to another tissue	150 €
facility	

Other	PRICE
Medical records summary	25 €
patient's medical file summary within 30 days in Czech language	
patient's medical file summary including laboratory results* within 30 days, in foreign language	
(English, German or Italian)	100 €
*some results may be provided in Czech language only	
medical documentation copies (per A4 page)	1€
Assigned coordinator consultation (20 min)	
The necessity to use a coordinator during sterility treatment beyond the consultations already	25 €
used	









PAYMENT AND CANCELLATION POLICY

Therapy/ procedure	Deposit before treatment start / reservation of gamete confirmation *	Surcharge/deposit* prior to egg collection	Surcharge on the day of embryo transfer
Dual-Stim protokol	1000 €	3500 €	X
Social freezing	1000 €	690 €	X
Social freezing during	1000 €	1800€	X
Dual-Stimulation			
NeoLife	1000 €	1790 €	X
NeoLife+	1000 €	2490 €	X
GratefulLife Basic	4000 €*	790 €	
GratefulLife	4000 €*	1980 €	X
GratefulLife+	4000 €*	3980 €	X
Therapy with one	1000 €*	Χ	990 €
donated embryo			
Therapy with two	1000 €*	x	
donated embryos			
Embryos			
cryopreservation	Х	250 €	according to the price list and the final number of embryos for cryopreservation

Preimplantation genetic examination	Deposit prior to egg collection	Surcharge after egg collection before sending the biopsy for examination
PGT-A	390 €	
PGT-SR	490 €	according to the price list and the final number of biopsied embryos
PGT-M	4390 €	number of biopsied embryos









The deposit paid before the start of the treatment / upon gamete reservation confirmation is non-refundable. Discontinuation of treatment for reasons on the part of clients is assessed individually with regard to the client's health condition and therapy undergoing. In the event of such a treatment interruption when the FertilityPort Prague physician ("FPP") assesses its validity, the FPP costs already incurred are covered by the received deposit. In therapies with donated oocytes, when treatment is discontinued by FPP due to the donor's serious health complications, FPP has reserved the right to offer a new donor to clients. In the case of therapies with donated embryos, if the treatment is postponed by clients for a period longer than six months since deposit payment, the reservation can be extended after payment of storage of embryos in the cryostorage according to the valid FPP

The donor's reservation is valid for three months since the deposit payment.

The price of the therapy is guaranteed for a period of three months since the deposit payment.

By paying the deposit according to this price list, the client agrees with the FPP price list and payment and cancellation policy.





